


INDOOR SULFUR AERATOR SYSTEM

[SEE OUTDOOR FLORIDA MODEL AERATOR [CLICK HERE](#)]



MODEL AER011-SUL

The Aeration Technology eliminates up to 99.9% of Heavy Sulfur, Rotten Egg Smell, Black Stains and Corrosive Action in well water. The Aeration Process (mixing of air and water) is the most effective Technology for removing Sulfur Gas from well water. Aeration is a very natural process and environmentally green technology.

\$5,900.00 Average Nationwide Retail Pricing
 (51% Less ~~\$3,303.00~~) Homeowner Contractor Discount
 \$2,897.00 Reduced Contractor Price
 0.00 Now Free Freight and Crating USA
 \$2,897.00 Your Contractor Pricing

Next Day Shipping
[Pricing subject to change without notice.]

BUY NOW...

ADD TO CART



*** Please Call Phone-In Orders
1-800-722-3212 (until 10 pm EST)
Thank you.



A+ Rating

Technical Support
1-800-722-3212 (until 10 pm EST)

*Larger Aeration Systems Available upon request.


- No Chlorine
- No Peroxide
- No Carbon Filters
- No Cartridges
- No Backwashing
- No Monthly Servicing

Other customers have ordered....

Optional Ozone Bubblers w/ Air Stone #203 – 115V \$324.00
Ozone Destroys Bacteria, Viruses, Parasites, Plus Other Microbial Contaminants
[click here for more information on Ozone Bubblers]
Add to Cart


Optional Sediment, Sand & Turbidity Filter pft100 \$114.70
No cartridges needed...has Clean-out Valve
[click here for more information on Sediment Filter]
Add to Cart

INDOOR SULFUR AERATOR SYSTEM



- Environmentally Green Technology
- Chemical Free
- FDA Approved
- (Food & Drug Administration)
- Polyethylene Customized Blow Molded Tank
- Fully Automatic
- Twist Top Accessibility
- ½ H.P. Submersible Pump, 115-v or 220-v,
- Model: Franklin Electric 20XC1-05P4-2W115, 20 GPM, 60 psi
- Bladder Pressure Tank 22 Gal. Flexcon PC66FR
- Exhaust Blower System
- Automatic Refilling and Shut Off Controls
- Completely Assembled and Wired for Installation
- 5 Year Limited Warranty on Aerator Tank
- Installation Instructions Included

INDOOR SULFUR AERATOR SYSTEM




How does it work? Sulfur Aeration Technology

It's chemical free. Well water enters the Aerator Tank after your existing well pump and pressure tank. The Aeration manifold scrubs, oxidizes, and aerates (mixing of air and water), and the Sulfur Gas is blown out via the Exhaust Blower System through a 3" PVC or similar pipe, and vented outside the home. The Sulfur Gas escapes into the atmosphere.


Also, installed vertically inside the Aerator Tank is a submersible pump needed to re-pressurize the water supplying the home or building. A companion pressure tank is included for the Aerator submersible pump.

The System is fully automatic with automatic refilling and shutoff controls.

INDOOR SULFUR AERATOR SYSTEM



*** Please Call Phone-In Orders
1-800-722-3212 (until 10 pm EST)
Thank you.



All rights reserved.
www.WaterEfining.com

Technical Support
1-800-722-3212 (until 10 pm EST)

