

[Note...FORTHEOUTDOORFLORIDAMODEL 20MY2AS, NON-FREEZING WEATHER CONDITIONS (FLORIDA) CLICK HERE]



Technical Support 1-800-722-3212 (until 10 pm EST)

*Larger Aeration Systems Available upon request.

No Chlorine
No Peroxide
No Carbon Filters
No Cartridges
No Backwashing
No Monthly Servicing

06-2023

INDOORMODEL AER01I-SUL

The Aeration Technology eliminates up to 99.9% of Heavy Sulfur, Rotten Egg Smell, Black Stains and Corrosive Action in well water. The Aeration Process (mixing of air and water) is the most effective Technology for removing Sulfur Gas from well water. Aeration is a very natural process and environmentally green technology.

Special "Contractor Pricing" for Do-It-Yourself Homeowners

\$7,250.00 Average Nationwide Dealership Retail Price \$(3,675.00) (Discount Do-It-Yourself Homeowners)

0.00 Now Free Freight & Crating USA

\$ 3,575.00 Your Cost

Next Day Shipping [Pricing subject to change without notice.]

BUY NOW...

ADD TO CART

Shipping to Canada is easy! Call Toll Free **1-800-722-3212**









A+ Rating

Free Gift...

Order now and receive a complimentary "Water Cop" Shut-off Automatic Shut-down Safety Switch with Audio Alarm (\$383.00 Value) Limited Supply Available.

*** Please Call Phone-In Orders 1-800-722-3212 (until 10 pm EST) Thank you.

OTHER CUSTOMERS HAVE ORDERED....

Optional: Sediment, Standand Turbidity Filter. (Click Here)

Model PFT-100 No cartridges needed...has clean-out purge valve.

See through housing. \$147.57 Add to Cart


Optional: Ozone Generator Bubbler (Click Here)

Purifies - Disinfects - Sterilizes

Three Models:


Model JED 203 Residential \$384.00 Add to Cart

Model JED 203 Residential with Timer \$457.00 Add to Cart



- Environmentally Green Technology
- Chemical Free
- FDA Approved (Food & Drug Administration)
- Polyethylene Customized Blow Molded Tank
- Fully Automatic
- Twist Top Accessibility
- 1/2 H.P. Submersible Pump, 115-v or 220-v
- Model: Bottom Feed 40-60 PSI 20 GPM

- Bladder Pressure Tank 22 Gal. Flexcon PC66FR
- Exhaust Blower System 3"
- Automatic Refilling and Shut-Off Controls
- Completely Assembled and Wired for Installation
- 5 Year Limited Warranty on Aerator Tank
- Installation Instructions Included




How does it work? Sulfur Aeration Technology

It's chemical free. Well water enters the Aerator Tank after your existing well pump and pressure tank. The Aeration manifold scrubs, oxidizes, and aerates (mixing of air and water), and the Sulfur Gas is blown out via the Exhaust Blower System through a 3" PVC or similar pipe, and vented outside the home. The Sulfur Gas escapes into the atmosphere.

Also, installed vertically inside the Aerator Tank is a submersible pump needed to re-pressurize the water supplying the home or building. A companion pressure tank is included for the Aerator submersible pump.

The System is fully automatic with automatic refilling and shutoff controls



Please Call Phone-In Orders 1-800-722-3212 (until 10 pm EST) Thank you.



All rights reserved. www.WaterEfining.com

Technical Support 1-800-722-3212 (until 10 pm EST)

